# COLD COLLECTION

2023-24



WORKWEAR AND PPE









#### **INDUSTRIAL STARTER**

**Individual Protection Specialist** since 1962 in Europe, he is now part of the family **PIP GLOBAL SAFETY** 



#### **PIP Protective Industrial Products**

Leading group in the production and distribution of safety gloves and PPE with over 35 years of history and presence in North America, South America, Europe, Asia and Australia.



11 production + 20.000

references

33 offices worldwide +186.000 m<sup>2</sup> of centers of distribution

Present in 18 states













#### **OWN BRANDS**



Footwear Filtering facials Gloves Eyeglasses



Fall arrester



Rubber boots





Eyeglasses



#### **DISTRIBUTED BRANDS**















**DuPont** 

Honeywell



#### **PIP Europe**

In 2006, PIP® opened sales offices and warehouses in Italy, Greece and Spain.

These activities were initiated in collaboration with local partners, who invested in the company to promote its rapid growth through extensive operational plans throughout Europe.

Although the business has grown in Europe, economic instability and inherent challenges have led to many unforeseen structural changes. However, PIP®'s presence in Europe has resulted in strong alliances and relationships.

Most recently, in 2016, PIP® decided to consolidate all of its European operations by opening a single entity, PIP France.

The challenge for PIP France was to harmonize its product line and market entry strategy.

Within two years, PIP France doubled sales and optimized the offerings of PIP®'s main brands-G-Tek® for hand protection and Bouton® for eye protection

Given the enormous success achieved in such a short period, in 2018 PIP France joined the PIP Global family as the hub of our activities in France and Northern Furgue

As of today, PIP Global safety's position in the European market is much stronger thanks to the acquisitions of Industrial Starter Group and Kit Safety, which allowed PIP to expand its presence with offices in Italy, Spain, Poland, the Czech Republic, and Ireland.

# Important brands recognized worldwide



## YOUR WORK MATTERS, WORKWEAR

Safety, comfort and style for workers start here.
Our challenge is to design durable, comfortable and attractive garments so that workers feel good about what they wear to work. Products characterized by the use of technical materials in combination with Italian pattern and style.
Specialists in stretch fabric.



## WHEN WORKING AT HEIGHT USE MAXIMUM SAFETY

A whole range of fall arrest systems, devices and lifelines for work at height.

Regardless of the risk and level, Akrobat offers you the solution for your needs, complying with the strict EU regulations for work at height.



## CONFIDENCE TO DO THE JOB ™ WORK GLOVES

G-Tek® is where mechanical protection meets optimum levels of dexterity, fit and form in technical gloves. With the most versatile line of supports and coatings to meet



# ADVANCED LENS TECHNOLOGIES IN SAFETY EYEWEAR ™ VIEW PROTECTION

Bouton® designs innovative and stylish protective eyewear that workers want to wear.

Our high-performance glasses offer superior comfort and feature advanced lens technology that protects and enhances vision.




## ADVANCED NON-SLIP TECHNOLOGY DISPOSABLE GLOVES

Grippaz® technology features a fish scale pattern that provides unparalleled grip performance. Grippaz® gloves are ergonomically designed to provide traction grip on both the outside and inside of the glove.

The proprietary Grippaz® nitrile formula offers greater flexibility and fits more snugly than traditional gloves, providing maximum comfort, durability and dexterity.









# New clothing made from recycled material\*

\*Read the specifics in the article composition



# **ECO SUSTAINABLE**















#### 04527B **POSH**

#### CE CAT. I - EN ISO 13688:2013

Softshell jacket with high levels of waterproofing and breathability, equipped with high visibility inserts on the shoulders and chest (even if it does not meet the requirements of the specific EN20471 standard). The front has two lower pockets and one on the chest, the latter has a taped zip while inside two large pockets ensure high capacity. Drawstring at the waist and concealed hood are two further technical features of the product. The garment is made from recycled materials and in line with this choice, the packaging is in cardboard boxes and not in plastic.

Composition: 96% recycled polyester 4% spandex bonded with 100% recycled fleece

**g/m²:** 31Ó **Membrane TPU:** W/P 8.000 mm e MVP 3.000 g/m²/24 h.

Sizes: S-M-L-XL-XXL-3XL-4XL-5XL **Colors:** 

081 anthracite gray with black inserts



Packing: 10 pcs.



M/2 - L/2 - XL/2 - XXL/2 = 8 box







### 04508B

#### **KIND** CE CAT. I - EN ISO 13688:2013

Waterproof and breathable softshell made entirely of recycled material, equipped with three front pockets and two large full pockets; drawstring at the waist for a better fitting. This jacket match with Boom pants 9030B, 9032B and 9035B. The garment is made from recycled materials and in line with this choice, the packaging is in cardboard boxes and not in plastic.

Composition: 100% recycled 150D polyester bonded with 100% recycled fleece

g/m²: 320 TPU membrane (recycled): W/P 3.000 mm e MVP 1.000 g/

m2/24 h.

Sizes: S-M-L-XL-XXL-3XL-4XL-5XL

Colors:

040 blue inserts black,

081 anthracite gray with black inserts,



Packing: 10 pcs.



04508D M/2 - L/2 - XL/2 - XXL/2 = 8 box

#### 8883B TUBE

#### CE CAT. I - EN ISO 13688:2013

Technical sweatshirt from the Extreme line with hood, two front po-ckets, a document holder on the chest and two large internal pockets. The garment can be combined with products from the Extreme line or also with other trousers. The sweatshirt also has the characteristic of using recycled polyester which, together with the cotton and the cardboard packaging, make it a product that can be appreciated by those looking for "green" solutions.

Composition: 65% recycled polyester, 35% cotton

g/m<sup>2</sup>: 280 Sizes: S-M-L-XL-XXL-3XL-4XL-5XL

Colors:

040 blue inserts black.

081 anthracite gray with black inserts,



Packing: 6 pcs.



8883D

M/1 - L/2 - XL/2 - XXL/1 = 6 box









#### **BELT INCLUDED** 210 g/m<sup>2</sup>





040 blue, 060 black, 080 gray



CE CAT. I - EN ISO 13688:2013

Composition: 65% polyester, 35% cotton g/m²: 280
Sizes: M-L-XL-XXL-3XL
Colors:

#### 9035B **TROUSERS BOOM 4 SEASONS** (4 WAY STRETCH)

CE CAT. I - EN ISO 13688:2013

4-way stretch softshell trousers which, thanks to their intermediate weight, allow the use throughout all the year. The garment has a knee pad holder, ruler pocket, two back pockets and a large side pocket. Two side inserts in stretch fabric increase comfort at the waist while the high visibility inserts offer a minimum of night visibility. Supplied with belt.

Sweatshirt with long zip, hood, two front pockets, cuffs and bottom with elasticated rib. Stabilized fabric to prevent shrinkage.

Composition: 92% polyester 8% spandex with dual function tre-atment: quick drying of water and expulsion of perspiration through the fabric - "3M SCOTHGARD treatment"

g/m²: 210 Sizes: S-M-L-XL-XXL-3XL-4XL-5XL

Colors:

081 anthracite grey

box

Packing: 10 pcs.



9035D

S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL/1 = 12 box





CE CAT. I - EN ISO 13688:2013

Long-sleeved piqué cotton polo shirt with contrasting piping. Composition: 95% cotton, 5% piqué elastane.

g/m²: 190 Size: M-L-XL-XXL-3XL Color: 040 blue, 060 black,

080 gray.

Single packed in a poly bag **Packing:** 20 pcs.



#### 08194N HIVI POLO SHIRT

### EN ISO 13688:2013 - EN ISO 20471:2013 + A1:2016

Practical and light long-sleeved polo shirt certi-fied HV with 50% cotton fabric in order to in-crease comfort and breathability. Heat-welded reflective bands and a chest pocket.

Composition: 50% cotton, 50% polyester g/m²: 150 Size: S- M-L-XL-XXL-3XL

**Color:**047 orange fluo with blue inserts
048 yellow fluo with blue inserts.

Single packed in a poly bag **Packing:** 15 pz.



Segmented bands heat-sealed







SSALINE



# **COLD ENVIRONMENTS**



### **EN 14058:2017 Protective clothing. Cold environments.**

The standard specifies requirements and test methods for the performance of individual garments for protection against the effects of cold environments at -5°C. These effects include not only low air temperatures, but also humidity and air velocity. Excluded from the standard, suits for protection against cold, footwear, gloves and separate headgear.















#### 04532B **KEEN**

CE CAT. I - EN ISO 13688:2013 - EN 14058:2017

Exterior composition: polyester dobby

g/m² external: 240

**Membrane TPU:** W/P 5.000 mm e MVP 1.000 g/m<sup>2</sup>/24h. g/m<sup>2</sup> padding: 120

Sizes: S-M-L-XL-XXL-3XL-4XL-5XL

Colors:

083 gray black inserts.



Packing: 6 pcs.



04532D

**Sizes:** M/1-L/2-XL/2-XXL/1 = 6 pcs.

EN 14058:2017







### 04531B

WISE

CE CAT. I - EN ISO 13688:2013 - EN 14058:2017

Exterior composition: polyester dobby

g/m² external: 240 g/m²

Membrane TPU: W/P 5.000 mm e MVP 1.000 g/m<sup>2</sup>/24h. Padding: 120 g/m<sup>2</sup>.

Sizes: S-M-L-XL-XXL-3XL-4XL-5XL

Colors: 040 light blue inserts,

083 gray black inserts

box Packing: 6 pcs



**Sizes:** M/1-L/2-XL/2-XXL/1 = 6 pcs.















#### 5090

**PARKA M-PRO** CE CAT. III - MULTIPROTEZIONE

Exterior composition: 98% polyester coated with polyurethane, 2% dissipative fibers (carbon)

g/m²: 260

Lining composition: 100% cotton

**g/m²:** 160

Sizes: S-M-L-XL-XXL-3XL

047 fluo orange / navy blue on request

048 fluo yellow / navy blue

Single packed in a poly bag

Packing: 5 pcs.

# COLD ENVIRONMENTS ISSALINE









CE CAT. I - EN ISO 13688:2013 - EN 14058:2017

Exterior composition: 94% Polyester, 6% Spandex laminated microfleece

g/m<sup>2</sup> external: 240

**Membrane TPU:** TPU W/P 8.000 mm e MVP 800 g/m<sup>2</sup>/24 h.

Padding: 100% Polyester. g/m² padding: 100.

Sizes: S-M-L-XL- XXL-3XL-4XL-5XL

Colors: 060 black, red inserts.

Single packed in a poly bag Packing: 10 pcs.







#### 04523 **DEER**

CE CAT. I - EN ISO 13688:2013 - EN 14058:2017

Exterior composition: 94% Polyester, 6% Spandex laminated microfleece

g/m² external: 240

**Membrane TPU:** TPU W/P 8.000 mm e MVP 800 g/m²/24 h.

Padding: 100% Polyester. g/m² padding: 100. Sizes: S-M-L-XL-XXL-3XL Colors: 060 black, red inserts.

Single packed in a poly bag Packing: 10 pcs.

**FLANNEL** LINING







#### 8730W WINTER STRETCH TROUSERS

CE CAT. I - EN ISO 13688:2013 - EN 14058:2017

Exterior composition: 97% cotton, 3% spandex

g/m²: 260
Lining composition: flannel 60% cotton, 40% polyester

**g/m²:**160

Sizes: S-M-L-XL-XXL-3XL Colors: 080 gray with black inserts

Single packed in a poly bag

Packing: 10 pcs.

#### FLANNEL LINING



#### WINTER STRETCH TROUSER

CE CAT. I - EN ISO 13688:2013 EN 14058:2017

Exterior composition: 97% cotton, 3% spandex

g/m²: 260 Lining composition: flannel 60% cotton, 40% polyester

Sizes: S-M-L-XL-XXL-3XL Colors: 080 gray with black inserts

Single packed in a poly bag appendibile

Packing: 10 pcs.









#### 8833B SOFTSHELL HEAVY EXTREME **TROUSER**

CE CAT. I - EN ISO 13688:2013 - EN 14058:2017

Exterior composition: 94% Polyester, 6% Spandex laminated microfleece

g/m² external: 320

Membrane TPU: TPU W/P 8.000 mm e MVP 3.000 g/m²/24 h.

Padding: no.

Sizes: S-M- L-XL-XXL-3XL-4XL-5XL Colors: 060 black.



Packing: 10 pcs.



M/2 - L/2 - XL/2 - 2XL/2 = 8 pcs.







**HEATED VEST - LONG-TERM HEAT, LIGHTWEIGHT, ACTIVE FIT.**designed to provide long-lasting relief from winter weather conditions. With three available on demand heat settings at the press of a button. The durable 5V/2A rechargeable battery keeps you working with fast and effective heat to warm the chest and back in seconds.

# REDUCE THE RATE OF COLD **STRESS INJURY**





- > Revolutionary heating technology at the press of a button, with three available heat settings
- Versatile lightweight base layer that provides reliable warmth
- > Promotes blood circulation, and provides
- relief for muscle pain > Designed to be worn over a thermal garment or T-shirt

# 3 HEAT SETTINGS WITH EASY







Quick rechargeable 5V/2A power bank provides Up to 7 hours of heat on the low setting with proper layering



CODE 300-HV100 **HEAT TYPE Three-stage activated warm vest** ACTIVATION TIME 90-120 seconds **HEATING TIME 4 hours** BATTERY USB 5V/2A Mini Power Bank **MATERIAL Nylon** Velcro closure SIZE Uniform

#### EFFECTIVE HEAT FOR UP TO 7 HOURS ON A SINGLE CHARGE

(At the lowest temperature setting and with appropriate outer garments)











#### 16-CUT229MS **G-TEK® POLYKOR®**

#### EN 388 4X43D

Nitrile foam coating provides superior grip in dry, wet and oily applications. Fully coated flat nitrile helps keep hands dry in wet applications. Knit wrist helps prevent dirt and debris from entering

Applications: Finishing & inspection, Electronics, General duty, Small parts assembly, Maintenance, Construction.

#### Touch-Screen: no

Yarn: PolyKor® Engineered Yarn

Gauge: 13 Yarn Colour: gray

Coating: all coated, double coated Nitrile MicroSurface

Coating color: black **Sizes:** 7-8-9-10-11

Bundle: 12 pairs. Packing: 72 pairs.

















#### 41-1415-EN

#### **G-TEK® POLYKOR®**

#### EN 388 4X32C - EN 511 X2X - EN407 X2XXXX

Acrylic gloves provide economical cold weather protection. Nitrile foam coating provides superior grip in dry, wet and oily applications. Fully coated flat nitrile helps keep hands dry in wet applications. Knit wrist helps prevent dirt and debris from entering the glove. Hi-vis coloring makes this product very easy to see. Contact heat resistant

Applications: Refrigerated areas, Utilities, Food processing, Commercial fishing, Construction, Outdoor winter activities.

Touch-Screen: no

Yarn: PolyKor® Engineered Yarn

Gauge: 15

Yarn Colour: yellow HV

Coating: all coated, double coated Nitrile Foam

Coating color: black Sizes: 8-9-10-11

Bundle: 12 pairs. Packing: 72 pairs.



#### 34-M1001/FC-ET **G-TEK®**

(34-M1001/FC)

non-blistered version upon request

#### EN 388 3121X

High dexterity. Good grip in dry and wet conditions with light oils. Excellent abrasion protection. Thicker coating for increased abrasion

Applications: Assembly, Parts Handling, Manufacturing, Material Handling.

Touch-Screen: no

Yarn: Nylon

**Gauge:** 13

Yarn Colour: black

Coating: all coated smooth Nitrile

Coating color: black Sizes: 8-9-10-11

In blister: 1 pairs.

Bundle: 12 pairs. Packing: 120 pairs.















#### 31-3150ER-EN

#### **G-TEK® 3RX**

#### EN 388 3131X - EN 16350

Polyurethane coating on palm and fingertips offers excellent abrasion resistance and tactile sensitivity. Antistatic EN16350 ESD. Open back.

Weight of the glove made of recycled material: 70% Reduced CO2 emissions per pair: 26,25g

Applications: Electronic and computer assembly, Quality control, Inspection, Precision assembly.

Touch-Screen: yes Yarn: G-Tek 3RX **Gauge: 13** 

Yarn Colour: white/green

Coating: Palm & Fingertips Polyurethane

Coating color: white **Sizes:** 6-7-8-9-10-11 Bundle: 12 pairs. Packing: 120 pairs.

# gauge

# world









### **G-TEK® POLYKOR®**

#### EN 388 3X31D

Seamless. PolyKor® c. 21 yarn provides excellent dexterity, sensitivity and cut resistance. Polyurethane adheres to the yarn structure and provides dexterity and grip in dry and slightly oily conditions, ideal for precision manipulation. Touchscreen compatible. Reinforcement between thumb. Mesh wrist prevent debris from entering. Washable, resistant to chemicals, water and ultraviolet rays.

Applications: Electronics, glass cutting, metal handling, fasteners, Construction

Touch-Screen: yes Yarn: Polykor®

Gauge: 21 Yarn Colour: black Coating: Palm & Fingertips Polyurethane

Coating color: black **Sizes:** 6-7-8-9-10-11 Bundle: 12 pairs.

Packing: 144 pairs.







#### **46305 EXTREME**

#### **EN ISO 20345 S3 SRC ESD METAL FREE**

**Upper:** high, water-resistant and breathable mesh with abrasion-resistant overcoat **Toe:** fiberglass

Anti-perforation foil: textile Sole: non-slip dual density PU

Plus: comfort foam system SHK SYSTEM: stabilizing nylon / pu shank

**Sizes:** 36-48

**Colour:** grey / black with blue inserts















46205 EXTREME STRETCH SLIP ON EN ISO 20345 S3 SRC ESD METAL FREE



46200 EXTREME STRETCH SLIP ON EN ISO 20345 S3 SRC ESD METAL FREE



44220 EXTREME EN ISO 20345 S1P SRC ESD METAL FREE



44400 EXTREME STRETCH SLIP ON En ISO 20345 S1P SRC METAL FREE



46300 EXTREME EN ISO 20345 S3 SRC ESD METAL FREE











#### BRINGING THE BEST OF THE WORLD TO YOU®

#### **AMERICAS**

#### Corporate Headquarters & Sales Center

Latham, NY

Phone: 518-861-0133 · Toll Free: 800-262-5755 sales@pipusa.com · www.pipusa.com

#### New York Distribution Center

Guilderland Center, NY

#### California Sales & Distribution Center

Rancho Cucamonga, CA

Phone: 909-987-2350 · Toll Free: 800-225-9225

#### Tennessee Sales & Distribution Center

Memphis, TN

Phone: 901-370-5828 · Toll Free: 888-456-8378

#### USA Manufacturing Facility

Guilderland Center, NY

#### USA Manufacturing Facility

Bluffton, IN

Phone: 260-824-8146

#### USA Manufacturing Facility

Chaska, MN

Phone: 952-448-7430

#### Canada Distribution Center,

#### **Shipments & Returns**

Bolton (Toronto), Ontario Phone: 800-262-5755 x7258 www.pipcanada.ca

#### Mexico Sales & Distribution

Monterrey, N.L., Mexico Phone: +52 (81) 8372-1825 www.pipmex.com

#### Mexico Regional Sales Office

San Pedro Garza García, N.L., Mexico Phone: +52 (81) 8335-4744 · +52 (81) 1365-9569

#### **ASIA PACIFIC - AUSTRALIA**

#### Asia Pacific Administrative Headquarters

Hong Kong, China Phone: 852-2475-9228 www.pipasiapacific.com

#### China Administrative & Sales Center

Shanghai, China

Phone: 86-021-63170303

#### China Regional Sales Office

Yantai City, Shandong Province, China Phone: 86-0535-6602843

#### Singapore Sales Office

Singapore

Phone: +65-91557756

#### Malavsia Sales Office

Penang, Malaysia Phone: 6-04-399-3328

#### PIP Australia

Eagle Farm ,Queensland, Australia

Phone: 1300 656 010 www.pipaus.com

#### **EUROPE**

#### France Administrative & Sales Offices

L'hermenault, France

Phone: + 33 (0) 2 51 50 19 80

www.pipeurope.com - info@pipeurope.com

#### INDUSTRIAL STARTER S.p.A.

Altavilla Vicentina, Italy

Phone.: +39 0444 573 422

www.industrialstarter.com - info@ind-starter.com

#### INDUSTRIAL STARTER CZECH s.r.o.

Ostrava Radvanice, Ceská Republika

Phone.: +420 552 312 619

www.industrialstarter.com - infocz@ind-starter.com

#### KIT Safety

Dublin 24, Ireland

Phone: +1 +353 1 642 3010 www.pipeurope.com

#### INDUSTRIAL STARTER ESPAÑA S.L.

Puzol (Valencia) España Phone.: +34 96 141 40 41

www.industrialstarter.com - comercial@starter.es

#### INDUSTRIAL STARTER POLSKA SP.Z O.O

Sosnowiec, Polska

Phone.: +48 32 260 0026

www.industrialstarter.com - biuro@industrialstarter.pl































